AMENDMENTS TO THE CLAIMS:

Please cancel claims 1-34 without prejudice or disclaimer and add new claims 35-84 as follows. This listing of claims will replace all prior versions and listings of claims in the application:

35. (new) A makeup composition comprising:

- at least one liquid fatty phase structured with at least one semi-crystalline polymer having an organic structure and a melting temperature of greater than or equal to 30C;

- at least one colorant; and

- at least one volatile oil;

wherein the liquid fatty phase, colorant, volatile oil and polymer together form a physiologically acceptable medium.

36. (new) The makeup composition of Claim 34, wherein the volatile oil has at least one of the following properties: a boiling temperature at atmospheric pressure of less than 220°C, a vapor pressure, measured at ambient temperature and atmospheric pressure, ranging from 0.266 Pa to 40 000 Pa, and a flash point ranging from 40°C to 100°C.

37. (new) The makeup composition of claim 34 wherein the at least one volatile oil is chosen from

linear or cyclic silicone oils having a viscosity at ambient temperature of less than 8 cSt and optionally comprising C_{1-10} alkyl or C_{1-10} alkoxy groups, and

volatile hydrocarbon-based oils having from 8 to 16 carbon atoms,

and mixtures thereof.

38 (new) The makeup composition of claim 37, wherein the linear or cyclic silicone oils comprise from 2 to 7 silicone atoms.

39. (new)The makeup composition of claim 37 wherein the linear or cyclic silicone oils are chosen from octamethylcyclotetrasiloxane, decamethyl-cyclopenta-siloxane, dodecamethyl-cyclohexasiloxane, heptamethyl-hexyltrisiloxane, heptamethyl-octyl-trisiloxane, hexa-methyl-disiloxane, octamethyl-trisiloxane, decamethyl-tetrasiloxane, dodecamethyl-pentasiloxane and mixtures thereof.

40. (New) The makeup composition of claim 37, wherein the volatile hydrocarbon based oil is chosen from branched C_8-C_{16} alkanes, branched C_8-C_{16} esters, and mixtures thereof.

41. (New) The makeup composition of claim 40, wherein the C_8-C_{16} alkanes are chosen from C_8-C_{16} isoalkanes.

42. (New) The makeup composition of claim 41, wherein the C_8-C_{16} isoalkanes are chosen from isododecane, isodecane, and isohexadecane.

43. (New) The makeup composition of claim 40, wherein the branched C_8-C_{16} ester is isohexyl neopentanoate.

44. (New) The makeup composition according to claim 35, wherein the at least one volatile oil is present in an amount ranging from 20% to 50% by weight, relative to the total weight of the composition.

45. (New) The makeup composition according to claim 44, wherein the at least one volatile oil is present in an amount ranging from 30% to 40% by weight, relative to the total weight of the composition.

46. (New) The makeup composition according to claim 35, wherein the at least one volatile oil is present in an amount ranging from 40% to 60% by weight of the liquid fatty phase.

47. (New) The makeup composition according to claim 46, wherein the at least one volatile oil is present in an amount ranging from 45% to 55% by weight of the liquid fatty phase.

48. (New) The makeup composition of claim 35, wherein the weight ratio of the volatile oil relative to the semi-crystalline polymer ranges from 1 to 2.5.

49. (New) The makeup composition of claim 48, wherein the weight ratio of the volatile oil relative to the semi-crystalline polymer is from 1.5 to 2.

50. (New) The makeup composition of claim 35, wherein the at least one semi-crystalline polymer has a weight-average molecular mass ranging from 5 000 to 1 000 000.

51. (New) The makeup composition of claim 50, wherein the at least one semi-crystalline polymer has a weight-average molecular mass ranging from 15 000 to 500 000.

52. (New) The makeup composition of claim 35, wherein the at least one semi-crystalline polymer is soluble in the liquid fatty phase at a temperature greater than its melting temperature.

53. (New) The makeup composition of claim 35, wherein the at least one semi-crystalline polymer is chosen from

- block copolymers of polyolefins of controlled crystallization,

- aliphatic or aromatic volatile polycondensates and aliphatic/aromatic covolatiles,

- homopolymers or copolymers bearing at least one crystallizable side chain,

and mixtures thereof.

54. (New) The makeup composition of claim 35, wherein the at least one semi-crystalline polymer is chosen from homopolymers and copolymers comprising from 50% to 100% by weight of units resulting from the polymerization of at least one monomer bearing at least one crystallizable hydrophobic side chain.

55. (New) The makeup composition of claim 35, wherein the at least one semi-crystalline polymer is chosen from homopolymers and copolymers resulting from the polymerization of at least one monomer containing at least one crystallizable side chain, of formula X:



wherein M represents an atom of the polymer skeleton;

S represents a spacer;

C represents a crystallizable group, and mixtures thereof;

and S-C represents an optionally fluorinated or perfluorinated alkyl chain having at least 11 carbon atoms .

56. (New) The makeup composition of claim 35, wherein the at least one semi-crystalline polymer is chosen from polymers resulting from the polymerization of at least

one monomer chosen from acrylic acid, methacrylic acid, crotonic acid, itaconic acid, maleic acid, maleic anhydride and mixtures thereof.

57. (New) The makeup composition of claim 35, wherein the at least one semi-crystalline polymer is chosen from homopolymers and copolymers resulting from the polymerization of at least one monomer having a crystallizable side chain.

58. (New) The makeup composition of claim 57, wherein said at least one monomer having a crystallizable side chain is chosen from C_{14}-C_{24} saturated alkyl (meth)acrylates, C_{11}-C_{15} perfluoroalkyl (meth)acrylates, C_{14} to C_{24} N-alkyl(meth)acrylamides optionally containing a fluorine atom, vinyl esters containing C_{14} to C_{24} alkyl or perfluoroalkyl chains, vinyl ethers containing C_{14} to C_{24} alkyl or perfluoroalkyl chains, C_{14} to C_{24} alpha-olefins, para-alkylstyrenes with an alkyl group containing from 12 to 24 carbon atoms, and mixtures thereof.

59. (New) The makeup composition of claim 35, wherein the at least one semi-crystalline polymers are homopolymers of alkyl (meth)acrylate or of alkyl(meth)acrylamide with a C_{14} to C_{24} alkyl group and/or copolymers of these monomers with a hydrophilic monomer.

60. (New) The makeup composition of claim 35, wherein the at least one semi-crystalline polymers are copolymers of alkyl (meth)acrylate or of an alkyl(meth)acrylamide with a C_{14} to C_{24} alkyl group, with a monomer different in nature from (meth)acrylic acid.

61. (New) The makeup composition of claim 60, wherein the monomer different in nature from (meth)acrylic acid is chosen from N-vinylpyrrolidone, hydroxyethyl (meth)acrylate, and mixtures thereof.

62. (New) The makeup composition of claim 35, wherein the at least one semi-crystalline polymer is present in an amount ranging from 0.1% to 80% by weight, relative to the total weight of the composition.

63. (New) The makeup composition of claim 62, wherein the at least one semi-crystalline polymer is present in an amount ranging from 15 to 25% by weight, relative to the total weight of the composition.

64. (New) The makeup composition of claim 35, wherein the at least one semi-crystalline polymer comprises a mixture of a polymer chosen from low-melting polymers having a melting temperature of less than 50°C and of a polymer chosen from high-melting polymers having a melting temperature of at least 50°C.

65. (New) The makeup composition of claim 64, wherein the high-melting polymer has a melting temperature mp_1 ranging from 55°C to 150°C.

66. The makeup composition of claim 65, wherein the high-melting polymer has a melting temperature mp_1 ranging from 60°C to 130°C.

67. (New) The makeup composition of claim 64, wherein the low-melting polymer has a melting temperature mp_2 ranging from 30°C to 50°C.

68. (New) The makeup composition of claim 64, wherein the ratio by weight of the low-melting polymer to the high-melting polymer ranges from 90/10 to 10/90.

69. (New) The makeup composition of claim 68, wherein the ratio by weight of the low-melting polymer to the high-melting polymer is 50/50.

70. (New) The makeup composition of claim 35, wherein the at least one liquid fatty phase comprises at least one polar oil and at least one sparingly polar oil.

71. (New) The makeup composition of claim 35, wherein the weight ratio of the at least one semi-crystalline polymer to the at least one liquid fatty phase ranges from 0.20 to 0.60.

72. (New) The makeup composition of claim 71, wherein the weight ratio of the at least one semi-crystalline polymer to the at least one liquid fatty phase ranges from 0.25 to 0.50.

73. (New) The makeup composition of claim 35, wherein the composition contains less than 10% by weight of wax and/or less than 5% by weight of matting filler, relative to the total weight of the composition.

74. (New) The makeup composition of claim 35, wherein the composition is in anhydrous form.

75. (New) The makeup composition of claim 35, wherein the composition is in cast form.

76. (New) The makeup composition of claim 35, wherein the composition is in the form of a mascara, eyeliner, foundation, lipstick, deodorant, body makeup product, eyeshadow or rouge or concealer product.

77. (New) The makeup composition of claim 76, wherein the makeup composition is in the form of a solid stick with a hardness ranging from 100 to 350 gf.

78. (New) A lipstick comprising:

- at least one liquid fatty phase structured with at least one semi-crystalline polymer having an organic structure, the melting temperature mp_1 of which ranges from 55°C to 150°C, and at least one semi-crystalline polymer having an organic structure, the melting temperature mp_2 of which ranges from 30°C to 50°C;

- at least one colorant; and

- at least one volatile oil.

79. (New) A cosmetic makeup process comprising applying to a keratin material a makeup composition comprising:

- at least one liquid fatty phase structured with at least one semi-crystalline polymer having an organic structure and a melting temperature of greater than or equal to 30C;

- at least one colorant; and

- at least one volatile oil;

wherein the liquid fatty phase, colorant, volatile oil and polymer together form a physiologically acceptable medium.

80. (New) The cosmetic makeup process of claim 79, wherein the at least one semi-crystalline polymer has a melting temperature greater than the temperature of the keratin material.

81. (New) The makeup composition of claim 80, wherein the keratin material is the skin or the lips.

82. (New) A process for obtaining a glossy composition, said process comprising

including at least one volatile oil in a makeup composition comprising a physiologically acceptable medium comprising:

- at least one liquid fatty phase structured with at least one semi-crystalline polymer having an organic structure and a melting temperature of greater than or equal to 30C; and

- at least one colorant, and

applying said composition to a keratin material whereby a non-transfer film is formed.

83. (New) The cosmetic makeup process of claim 83, wherein the keratin material is the lips.

84. (New) A process for obtaining a non-transfer composition that forms a glossy and comfortable coating when applied to a substrate, said process comprising

including at least one volatile oil in a makeup composition comprising a physiologically acceptable medium comprising at least one liquid fatty phase structured with at least one semi-crystalline polymer having an organic structure.